


# STOPY HIGIENICZNE 2024



# STOPY HIGIENICZNE ŚREDNIE OBCIĄŻENIA

| Numer kat.  | D    | M   | H   | H-min | H-max | B  | K  | Max kg. |
|-------------|------|-----|-----|-------|-------|----|----|---------|
| 5012135VLH  | Ø50  | M12 | 135 | 80    | 120   | 17 | 10 | 400 kg  |
| 5012175VLH  | Ø50  | M12 | 175 | 100   | 160   | 17 | 10 | 400 kg  |
| 5012115VLH  | Ø50  | M12 | 215 | 120   | 200   | 17 | 10 | 400 kg  |
| 8212135VLH  | Ø82  | M12 | 135 | 80    | 120   | 19 | 10 | 1000 kg |
| 8212175VLH  | Ø82  | M12 | 175 | 100   | 160   | 19 | 10 | 1000 kg |
| 8212115VLH  | Ø82  | M12 | 215 | 120   | 200   | 19 | 10 | 1000 kg |
| 10112135VLH | Ø101 | M12 | 135 | 80    | 120   | 24 | 10 | 2500 kg |
| 10112175VLH | Ø101 | M12 | 175 | 100   | 160   | 24 | 10 | 2500 kg |
| 10112115VLH | Ø101 | M12 | 215 | 120   | 200   | 24 | 10 | 2500 kg |
| 5016135VLH  | Ø50  | M16 | 135 | 80    | 120   | 17 | 13 | 400 kg  |
| 5016175VLH  | Ø50  | M16 | 175 | 100   | 160   | 17 | 13 | 400 kg  |
| 5016115VLH  | Ø50  | M16 | 215 | 120   | 200   | 17 | 13 | 400 kg  |
| 8216135VLH  | Ø82  | M16 | 135 | 80    | 120   | 19 | 13 | 1000 kg |
| 8216175VLH  | Ø82  | M16 | 175 | 100   | 160   | 19 | 13 | 1000 kg |
| 8216115VLH  | Ø82  | M16 | 215 | 120   | 200   | 19 | 13 | 1000 kg |
| 10116135VLH | Ø101 | M16 | 135 | 80    | 120   | 24 | 13 | 2500 kg |
| 10116175VLH | Ø101 | M16 | 175 | 100   | 160   | 24 | 13 | 2500 kg |
| 10116115VLH | Ø101 | M16 | 215 | 120   | 200   | 24 | 13 | 2500 kg |
| 5020135VLH  | Ø50  | M20 | 135 | 80    | 120   | 17 | 17 | 400 kg  |
| 5020175VLH  | Ø50  | M20 | 175 | 100   | 160   | 17 | 17 | 400 kg  |
| 5020115VLH  | Ø50  | M20 | 215 | 120   | 200   | 17 | 17 | 400 kg  |
| 8220135VLH  | Ø82  | M20 | 135 | 80    | 120   | 19 | 17 | 1000 kg |
| 8220175VLH  | Ø82  | M20 | 175 | 100   | 160   | 19 | 17 | 1000 kg |
| 8220115VLH  | Ø82  | M20 | 215 | 120   | 200   | 19 | 17 | 1000 kg |
| 10120135VLH | Ø101 | M20 | 135 | 80    | 120   | 24 | 17 | 2500 kg |
| 10120175VLH | Ø101 | M20 | 175 | 100   | 160   | 24 | 17 | 2500 kg |
| 10120115VLH | Ø101 | M20 | 215 | 120   | 200   | 24 | 17 | 2500 kg |

## STOPY HIGIENICZNE DUŻE OBCIĄŻENIA

| Numer kat.  | D    | M   | H   | H-min | H-max | B  | K  | Max kg. |
|-------------|------|-----|-----|-------|-------|----|----|---------|
| 8012135VLH  | Ø80  | M12 | 135 | 80    | 120   | 16 | 10 | 2000 kg |
| 8012175VLH  | Ø80  | M12 | 175 | 100   | 160   | 16 | 10 | 2000 kg |
| 8012115VLH  | Ø80  | M12 | 215 | 120   | 200   | 16 | 10 | 2000 kg |
| 10012135VLH | Ø100 | M12 | 135 | 80    | 120   | 17 | 10 | 4000 kg |
| 10012175VLH | Ø100 | M12 | 175 | 100   | 160   | 17 | 10 | 4000 kg |
| 10012115VLH | Ø100 | M12 | 215 | 120   | 200   | 17 | 10 | 4000 kg |
| 8016135VLH  | Ø80  | M16 | 135 | 80    | 120   | 16 | 13 | 2000 kg |
| 8016175VLH  | Ø80  | M16 | 175 | 100   | 160   | 16 | 13 | 2000 kg |
| 8016115VLH  | Ø80  | M16 | 215 | 120   | 200   | 16 | 13 | 2000 kg |
| 10016135VLH | Ø100 | M16 | 135 | 80    | 120   | 17 | 13 | 4000 kg |
| 10016175VLH | Ø100 | M16 | 175 | 100   | 160   | 17 | 13 | 4000 kg |
| 10016115VLH | Ø100 | M16 | 215 | 120   | 200   | 17 | 13 | 4000 kg |
| 8020135VLH  | Ø80  | M20 | 135 | 80    | 120   | 16 | 17 | 2000 kg |
| 8020175VLH  | Ø80  | M20 | 175 | 100   | 160   | 16 | 17 | 2000 kg |
| 8020115VLH  | Ø80  | M20 | 215 | 120   | 200   | 16 | 17 | 2000 kg |
| 10020135VLH | Ø100 | M20 | 135 | 80    | 120   | 17 | 17 | 4000 kg |
| 10020175VLH | Ø100 | M20 | 175 | 100   | 160   | 17 | 17 | 4000 kg |
| 10020115VLH | Ø100 | M20 | 215 | 120   | 200   | 17 | 17 | 4000 kg |

# **STOPY HIGIENICZNE DUŻE OBCIĄŻENIA Z OTWORAMI**

| Numer kat.    | STOPY HIGIENICZNE DUŻE OBCIĄŻENIA Z OTWORAMI |     |     |       |       |    |                      |    | Max kg. |
|---------------|----------------------------------------------|-----|-----|-------|-------|----|----------------------|----|---------|
|               | D                                            | M   | H   | H-min | H-max | B  | Ø otwory w podstawie | K  |         |
| 8012135VLHOT  | Ø80                                          | M12 | 135 | 80    | 120   | 16 | 8,5 mm               | 10 | 2000 kg |
| 8012175VLHOT  | Ø80                                          | M12 | 175 | 100   | 160   | 16 | 8,5 mm               | 10 | 2000 kg |
| 8012115VLHOT  | Ø80                                          | M12 | 215 | 120   | 200   | 16 | 8,5 mm               | 10 | 2000 kg |
| 10012135VLHOT | Ø100                                         | M12 | 135 | 80    | 120   | 17 | 10,5 mm              | 10 | 4000 kg |
| 10012175VLHOT | Ø100                                         | M12 | 175 | 100   | 160   | 17 | 10,5 mm              | 10 | 4000 kg |
| 10012115VLHOT | Ø100                                         | M12 | 215 | 120   | 200   | 17 | 10,5 mm              | 10 | 4000 kg |
| 8016135VLHOT  | Ø80                                          | M16 | 135 | 80    | 120   | 16 | 8,5 mm               | 13 | 2000 kg |
| 8016175VLHOT  | Ø80                                          | M16 | 175 | 100   | 160   | 16 | 8,5 mm               | 13 | 2000 kg |
| 8016115VLHOT  | Ø80                                          | M16 | 215 | 120   | 200   | 16 | 8,5 mm               | 13 | 2000 kg |
| 10016135VLHOT | Ø100                                         | M16 | 135 | 80    | 120   | 17 | 10,5 mm              | 13 | 4000 kg |
| 10016175VLHOT | Ø100                                         | M16 | 175 | 100   | 160   | 17 | 10,5 mm              | 13 | 4000 kg |
| 10016115VLHOT | Ø100                                         | M16 | 215 | 120   | 200   | 17 | 10,5 mm              | 13 | 4000 kg |
| 8020135VLHOT  | Ø80                                          | M20 | 135 | 80    | 120   | 16 | 8,5 mm               | 17 | 2000 kg |
| 8020175VLHOT  | Ø80                                          | M20 | 175 | 100   | 160   | 16 | 8,5 mm               | 17 | 2000 kg |
| 8020115VLHOT  | Ø80                                          | M20 | 215 | 120   | 200   | 16 | 8,5 mm               | 17 | 2000 kg |
| 10020135VLHOT | Ø100                                         | M20 | 135 | 80    | 120   | 17 | 10,5 mm              | 17 | 4000 kg |
| 10020175VLHOT | Ø100                                         | M20 | 175 | 100   | 160   | 17 | 10,5 mm              | 17 | 4000 kg |
| 10020115VLHOT | Ø100                                         | M20 | 215 | 120   | 200   | 17 | 10,5 mm              | 17 | 4000 kg |

# STOPY HIGIENICZNE PODSTAWA Z GUMY

| Numer kat.  | STOPY HIGIENICZNE PODSTAWA Z GUMY |     |     |       |       |    |    | Max kg. |
|-------------|-----------------------------------|-----|-----|-------|-------|----|----|---------|
|             | D                                 | M   | H   | H-min | H-max | B  | K  |         |
| 4812135VLH  | Ø48                               | M12 | 135 | 80    | 120   | 20 | 10 | 300 kg  |
| 4812175VLH  | Ø48                               | M12 | 175 | 100   | 160   | 20 | 10 | 300 kg  |
| 4812115VLH  | Ø48                               | M12 | 215 | 120   | 200   | 20 | 10 | 300 kg  |
| 7512135VLH  | Ø75                               | M12 | 135 | 80    | 120   | 23 | 10 | 600 kg  |
| 7512175VLH  | Ø75                               | M12 | 175 | 100   | 160   | 23 | 10 | 600 kg  |
| 7512115VLH  | Ø75                               | M12 | 215 | 120   | 200   | 23 | 10 | 600 kg  |
| 10412135VLH | Ø104                              | M12 | 135 | 80    | 120   | 27 | 10 | 1000 kg |
| 10412175VLH | Ø104                              | M12 | 175 | 100   | 160   | 27 | 10 | 1000 kg |
| 10412115VLH | Ø104                              | M12 | 215 | 120   | 200   | 27 | 10 | 1000 kg |
| 4816135VLH  | Ø48                               | M16 | 135 | 80    | 120   | 20 | 13 | 300 kg  |
| 4816175VLH  | Ø48                               | M16 | 175 | 100   | 160   | 20 | 13 | 300 kg  |
| 4816115VLH  | Ø48                               | M16 | 215 | 120   | 200   | 20 | 13 | 300 kg  |
| 7516135VLH  | Ø75                               | M16 | 135 | 80    | 120   | 23 | 13 | 600 kg  |
| 7516175VLH  | Ø75                               | M16 | 175 | 100   | 160   | 23 | 13 | 600 kg  |
| 7516115VLH  | Ø75                               | M16 | 215 | 120   | 200   | 23 | 13 | 600 kg  |
| 10416135VLH | Ø104                              | M16 | 135 | 80    | 120   | 27 | 13 | 1000 kg |
| 10416175VLH | Ø104                              | M16 | 175 | 100   | 160   | 27 | 13 | 1000 kg |
| 10416115VLH | Ø104                              | M16 | 215 | 120   | 200   | 27 | 13 | 1000 kg |
| 4820135VLH  | Ø48                               | M20 | 135 | 80    | 120   | 20 | 17 | 300 kg  |
| 4820175VLH  | Ø48                               | M20 | 175 | 100   | 160   | 20 | 17 | 300 kg  |
| 4820115VLH  | Ø48                               | M20 | 215 | 120   | 200   | 20 | 17 | 300 kg  |
| 7520135VLH  | Ø75                               | M20 | 135 | 80    | 120   | 23 | 17 | 600 kg  |
| 7520175VLH  | Ø75                               | M20 | 175 | 100   | 160   | 23 | 17 | 600 kg  |
| 7520115VLH  | Ø75                               | M20 | 215 | 120   | 200   | 23 | 17 | 600 kg  |
| 10420135VLH | Ø104                              | M20 | 135 | 80    | 120   | 27 | 17 | 1000 kg |
| 10420175VLH | Ø104                              | M20 | 175 | 100   | 160   | 27 | 17 | 1000 kg |
| 10420115VLH | Ø104                              | M20 | 215 | 120   | 200   | 27 | 17 | 1000 kg |